


TITLE Declaration of Conformity – Weatherproof LED Exit Sign, NiCad or LiFePO4 Battery				
PREPARED: G Grover	CHECKED: Stephen Charlton	APPROVED: Stephen Charlton	DOCUMENT NUMBER: PEDC004	ISSUE A
DATE: 26/07/18	DATE: 30/07/18	DATE: 30/07/18	DATE: 27/07/18	DATE: 27/07/18

Product covered by this declaration –

PWEXLED-1	PWEXNRFLED-1	PWEXNXSLED-1
PWEXLED-2	PWEXNRFLED-2	PWEXNXSLED-2
PWEXLED-3	PWEXNRFLED-3	PWEXNXSLED-3
PWEXLEDP-1	PWEXNRFLEDP-1	PWEXNXSLEDP-1
PWEXLEDP-2	PWEXNRFLEDP-2	PWEXNXSLEDP-2
PWEXLEDP-3	PWEXNRFLEDP-3	PWEXNXSLEDP-3

Product Description –

Weatherproof LED Exit variants, Monitored & Non-monitored. Exit sign comprising IP65 weatherproof enclosure containing control gear mounted on a gear tray, LED light source, NiCad or LiFePO4 battery pack and diffuser.

Declaration –

The product listed above is designed and manufactured to comply with the relevant standards as listed below, provided it is correctly installed and maintained.

Applicable Standards –

AS/NZS 60598.1:2013	Luminaires General requirements and tests
AS/NZS 60598.2.22:2005	Luminaires Particular requirements - Luminaires for emergency lighting
AS/NZS 2293.3:2005	Emergency lighting and exit signs for buildings Emergency luminaires and exit signs
AS/NZS CISPR 15	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment



Signature:

Signed for and on behalf of ABB Australia Pty Ltd

Name & position, as authorized by the issuer	Stephen Charlton, LBU R&D Manager - Australia
Date of Issue	30/07/2018