


TITLE Declaration of Conformity – Weatherproof LED Battens, NiCad or LiFePO4 Battery					
PREPARED: G Grover	CHECKED: Stephen Charlton	APPROVED: Stephen Charlton	DOCUMENT NUMBER: PBDC003	ISSUE: B	
DATE: 12/10/20	DATE: 12/10/20	DATE: 12/10/20	DATE: 12/10/20	DATE: 12/10/20	

Product covered by this declaration –

SBLWAC45L	SBLWAC56L	PBLWAC35L	PBLWAC46L	PBLWAC25L
SBLWAC45LMD	SBLWAC56LMD	PBLWAC35LMD	PBLWAC46LMD	PBLWEM25LM
SBLWEM45LM	SBLWEM56LM	PBLWEM35LM	PBLWEM46LM	PBLWLX25LM
SBLWEM45LMMD	SBLWEM56LMMD	PBLWEM35LMMD	PBLWEM46LMMD	PBLWRF25LM
SBLWLX45LM	SBLWLX56LM	PBLWLX35LM	PBLWLX46LM	
SBLWLX45LMMD	SBLWLX56LMMD	PBLWLX35LMMD	PBLWLX46LMMD	
SBLWRF45LM	SBLWRF56LM	PBLWRF35LM	PBLWRF46LM	
SBLWRF45LMMD	SBLWRF56LMMD	PBLWRF35LMMD	PBLWRF46LMMD	

Product Description –

Weatherproof LED Batten variants. IP65 Weatherproof LED Batten, polycarbonate base and diffuser, LED light source, internal steel gear tray/reflector. Standard AC and Emergency Luminaires Monitored & Non-monitored with AC control gear and emergency control pack, NiCad or LiFePO4 battery pack.

Declaration –

The product listed above is designed and manufactured to comply with the relevant standards as listed below, provided it is correctly installed and maintained.

Applicable Standards –

AS/NZS 60598.1:2013	Luminaires General requirements and tests
AS/NZS 60598.2.22:2005	Luminaires Particular requirements - Luminaires for emergency lighting
AS/NZS CISPR 15	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
AS/NZS 2293.3:2005	Emergency lighting and exit signs for buildings - Emergency luminaires and exit signs



Signature:

Signed for and on behalf of ABB Australia Pty Ltd

Name & position, as authorized by the issuer	Stephen Charlton, Global Product Manager – EML - Asia
Date of Issue	12/10/2020