
800FPU3F3F34

Allen-Bradley 800F PB 22.5mm Pls 3 Pos. Mom. Multi Fnc. Pos. Flush Grn Pos. A Flush Grn Pos. C Red





Component type	Front element for push button
Range	800F Pushbutton
Model	N/A
Product status	Existing

The Allen-Bradley 800F line of operator control devices are a range of 22.5mm mount pushbuttons, pilot lights, selector switches, emergency stops for use in industrial applications requiring reliable performance. Available in plastic or metal types with a wide range of accessories including enclosures, legend plates, padlocks and colour caps making them suitable for use in various applications.

CONSTRUCTION	Colour button	Red/green
	Type of button	Combination
	Labelled	No
	Material front ring	Plastic
	Colour front ring	Black
	Degree of protection (IP), front side	IP66
	Construction type lens	Oval
	With protective cover	No
	With front ring	Yes
	Degree of protection (NEMA), front side	5
MECHANICAL	Switching function latching	No
	Spring-return	No
	Vibration acceleration (Max)	10.0 m/s ²
	Vibration frequency, operational (Max)	2000.0 Hz
	Shock acceleration (Max)	100.0 g
	Number of command positions	3.0
PHOTOMETRIC	Suitable for illumination	No
DIMENSIONS	Hole diameter	22.5 mm
	Width opening	49.6 mm
	Height opening	17.5 mm