800H6HZ4R

Allen-Bradley 800H Enclosure Rosite Glass Polyester 6 Holes 3 4 Inch Conduit Entry



by ROCKWELL AUTOMATION PUSHBUTTON AND PILOT LIGHTS

Component type	Control circuit devices combination in enclosure
Range	800T/H Pushbutton
Model	N/A
Product status	Existing

Allen-Bradley

The Allen-Bradley 800T/H range of 30.5mm mount operators are designed and constructed to perform in the most demanding industrial environments. The range includes pushbuttons, selector switches, emergency stops, pilot lights. Available in both metal and plastic types with a modular design allowing for easy selection, configuration and assembly of components to form the operator control device.

CONSTRUCTION	Number of push buttons	6.0
	Number of key switches	6.0
	Number of selector switches	6.0
	Number of mushroom-shaped push-buttons	6.0
	Colour housing cover	Grey
	Material housing	Other
MECHANICAL	Vibration acceleration (Max)	10.0 m/s ²
	Vibration frequency, operational (Max)	2000.0 Hz
	Shock acceleration (Max)	100.0 g
DIMENSIONS	Height	377.8 mm
	Width	96.8 mm
	Depth	100.8 mm
ENVIRONMENT	Operating temperature	-40 - 55




800H6HZ4R

Allen-Bradley 800H Enclosure Rosite Glass Polyester 6 Holes 3 4 Inch Conduit Entry



DIMENSIONAL DIAGRAM



Type 4/4X/13 Rosite Glass Polyester Watertight, Oiltight, Corrosion Resistant Enclosure