
## **800HE1HZ4R**

Allen-Bradley 800H Enclosure Rosite Glass Polyester 1 Hole 3 4In Conduit Entry for 30.5mm Pushbutton





Component type	Control circuit devices combination in enclosure
Range	800T/H Pushbutton
Model	N/A
Product status	Existing

The Allen-Bradley 800T/H range of 30.5mm mount operators are designed and constructed to perform in the most demanding industrial environments. The range includes pushbuttons, selector switches, emergency stops, pilot lights. Available in both metal and plastic types with a modular design allowing for easy selection, configuration and assembly of components to form the operator control device.


	Number of push buttons	1.0
CONSTRUCTION  MECHANICAL	Number of key switches	1.0
	Number of selector switches	1.0
	Number of mushroom-shaped push-buttons	1.0
	Colour housing cover	Grey
	Material housing	Other
	Vibration acceleration (Max)	10.0 m/s²
	Vibration frequency, operational (Max)	2000.0 Hz
	Shock acceleration (Max)	100.0 g
DIMENSIONS	Height	178.6 mm
	Width	96.8 mm
	Depth	100.8 mm
ENVIRONMENT	Operating temperature	-40 - 55

## 800HE1HZ4R

Allen-Bradley 800H Enclosure Rosite Glass Polyester 1 Hole 3 4In Conduit Entry for 30.5mm Pushbutton



## **DIMENSIONAL DIAGRAM**



Type 4/4X/13 Rosite Glass Polyester Watertight, Oiltight, Corrosion Resistant Enclosure