



DOOR LAYOUT




ESCUTCHEON LAYOUT



INTERNAL LAYOUT




SIDE VIEW




REAR VIEW

150mm<sup>2</sup> (CIRCUIT BREAKER LUGS)  
MAXIMUM INCOMING CABLES FOR  
TERMINATION TO BUSBARS



SCHEMATIC DIAGRAM: DB



PLAN VIEW

CONSTRUCTION NOTES	
BODY	1.6mm MILD STEEL SHEET or 316 STAINLESS STEEL
DOOR	1.6mm MILD STEEL SHEET or 316 STAINLESS STEEL. RIGHT HAND HINGED SWING HANDLE ZINC OR STAINLESS STEEL IP66 CL001 KEY LOCK c/w A4 SIZE LEGEND CARD & HOLDER BEHIND DOOR
ESCUTCHEON	HINGED STEEL SHEET CONSTRUCTION
FINISH	ELECTROSTATIC POWDER-COATED TO AUSTRALIAN STANDARD AS2700-2011 COLOUR: REFER TO COLOUR & CODING TABLE STAINLESS STEEL - BRUSHED #4
PROTECTION	AS PER AUSTRALIAN STANDARD AS60529-2004 DEGREE OF PROTECTION: IP66 (WITH DOOR FITTED) CHASSIS: 250amp ENCLOSED BUSBAR CHASSIS (25kA FOR 0.1 Sec)

PANELBOARD COLOUR & CODING				
PART NUMBER	ENCLOSURE MATERIAL	BASE	DOOR	ESCUTCHEON
CPR60G	MILD STEEL	STORM GREY N42	STORM GREY N42	GLOSS WHITE
CPR60O	MILD STEEL	ORANGE X15	ORANGE X15	GLOSS WHITE
CPR60SS	316 STAINLESS STEEL	NATURAL	NATURAL	GLOSS WHITE
CPR60SSO	316 STAINLESS STEEL	ORANGE X15	ORANGE X15	GLOSS WHITE



PART No.  
CPR60xxx

TITLE  
C/PREM PBOARD DIN-T 60W NO MSW 5M-1080mm



ELECTRICAL ENGINEERING PRODUCTS PTY LTD  
INDUSTRIAL SWITCHGEAR AND AUTOMATION SOLUTION SPECIALISTS  
A.C.N. 004 304 812  
43-47 RIVER ST. TELEPHONE +61 3 9429 2999  
RICHMOND. FAX +61 3 9429 1875  
VICTORIA 3121 EMAIL met-sales@nhp.com.au

DRAWING No.  
MD-L008168

SHEET No. 1 of 1

A3

REV: 02  
SCALE:  
NTS