
## 440ED13100

Allen-Bradley 440E Lifeline 3 Pullwire IP67 30m Auxiliary 1 NO Safety 2 NC M20





Component type	Emergency stop pull cord switch	
Range	Lifeline 3	
Model	N/A	
Product status	Existing	

The Allen-Bradley Lifeline 3 Cable Pull Wire Switches are cable (rope) operated E-stop devices designed to meet the requirements of ISO 13850 and are installed along or around awkward machinery, providing a constant-access E-stop facility.

	Number of contests or named by an expectant	4.0
ELECTRICAL	Number of contacts as normally open contact	1.0
	Number of contacts as normally closed contact	2.0
	Rated insulation voltage Ui	500.0 V
	Rated operation current le at AC-15, 120 V	6.0 A
	Rated operation current le at AC-15, 240 V	3.0 A
	Rated operation current le at AC-15, 600 V	1.2 A
CONSTRUCTION	Rated operation current le at DC-13, 24 V	2.0 A
	Emergency stop button	No
	Material housing	Zinc die-cast
	Colour	Yellow
DIMENSIONS	Degree of protection (IP)	IP67
	Height	204.0 mm
	Width	40.0 mm
	Depth	56.0 mm
	Weight	0.61 mm
ENVIRONMENT	Ambient temperature	-25 - 80 °C