

# 800FPF6PX10

Allen-Bradley 800F Pushbutton 22.5 mm Complete Plastic  
Momentary Flush Blue Cap Non Illuminated 1NO



**Allen-Bradley**

by ROCKWELL AUTOMATION

PUSHBUTTON AND PILOT LIGHTS



Component type	Push button, complete
Range	800F Pushbutton
Model	N/A
Product status	Existing

The Allen-Bradley 800F line of operator control devices are a range of 22.5mm mount pushbuttons, pilot lights, selector switches, emergency stops for use in industrial applications requiring reliable performance. Available in plastic or metal types with a wide range of accessories including enclosures, legend plates, padlocks and colour caps making them suitable for use in various applications.

ELECTRICAL	Number of contacts as normally open contact	1.0
	Number of contacts as normally closed contact	0.0
	Type of electric connection	Screw connection
CONSTRUCTION	Colour button	Blue
	Type of button	Flush
	With front ring	Yes
	Material front ring	Thermoplastic
	Degree of protection (IP)	IP65/IP66
MECHANICAL	Switching function latching	No
	Shock acceleration (Max)	100.0 g
	Vibration acceleration (Max)	10.0 m/s <sup>2</sup>
	Vibration frequency, operational (Max)	2000.0 Hz
PHOTOMETRIC	Suitable for illumination	No
DIMENSIONS	Hole diameter	22.5 mm
	Operator diameter	29.6 mm

## 800FPF6PX10

Allen-Bradley 800F Pushbutton 22.5 mm Complete Plastic  
Momentary Flush Blue Cap Non Illuminated 1NO



**Allen-Bradley**

by ROCKWELL AUTOMATION

PUSHBUTTON AND PILOT LIGHTS

### DIMENSIONAL DIAGRAM

## Non-Illuminated and Illuminated Momentary Flush Push Button Operators

