
1492J120

Allen-Bradley 1492-J Screw Connection Terminal 120mm 1 Level 2 Conductor Entries Grey

TERMINALS



Component type	Feed-through terminal block
Range	1492J/W
Model	N/A
Product status	Existing

The Allen-Bradley 1492-J and W ranges of screw connection terminal blocks are reliable, safe and straight forward electrical connections for wiring management. With cross-sectional wire sizes from 0.5mm2 to 120mm2 and terminal types such as feed-through, disconnect, fused, plug-in and thermocouple. Options include single or multi-level housing and accessories for various panel space requirements.

ELECTRICAL	Type of electrical connection 1	Screw connection
	Rated current In	269 A
	Rated voltage	1000 V
CONSTRUCTION	Number of levels	1
	Number of clamp positions per level	2
	Colour	Grey
	Mounting method	DIN rail (top hat rail) 35 mm
MECHANICAL	Nominal tightening torque	16 Nm
DIMENSIONS	Wire/conductor size	4-120 mm
	Width	27 mm
	Height	91 mm
	Depth	84 mm
	Wire strip length	27 mm
ENVIRONMENT	Insulation temperature	-50…120 °C


Published on 07 October 2026

1492J120

Allen-Bradley 1492-J Screw Connection Terminal 120mm 1 Level 2 Conductor Entries Grey

TERMINALS

DIMENSIONAL DIAGRAM



RELATED PRODUCTS

ACCESSORY



Item No: 1492DR5

Required: No

Description: Allen-Bradley 1492 DIN Rail 35 x 7.5mm Copper Free Aluminium 1m



Item No: 1492EWPJ18

Required: No

Description: Allen-Bradley 1492 Electrical Warning Plate



Item No: 1492DR9

Required: No

Description: Allen-Bradley 1492 DIN Rail 35 x 15mm Zinc Plated Steel 1m

Item No: 1492MR5X8

Required: No

Description: Allen-Bradley 1492-M Marker Card Snap In 5 x 8mm Linked 120 Tags No Text

Published on 07 October 2026

1492J120

Allen-Bradley 1492-J Screw Connection Terminal 120mm 1 Level 2 Conductor Entries Grey

TERMINALS

RELATED PRODUCTS

ACCESSORY

Item No: 199DR4

Required: No

Description: Allen-Bradley 1492 DIN Mounting Rail Zinc Plated Chromated Steel 35 x 15mm 1m

Published on 07 October 2026