


GB272183TF

NHP POWERMAX GB Isolation Busbar Chassis DIN T 250A 72
Way 3 Pole Top Feed



Component type	Distributor assembly busbars
Range	DIN-T GB
Model	N/A
Product status	Existing

NHP's POWERMAX DIN T GB Busbar Chassis is a high-performance electrical distribution solution. This 250A chassis provides a quick and easy method to connect DIN-T MCB's and RCBO's. Made of high-quality copper, providing superior conductivity, along with durable busbar supports providing high withstand ratings ensuring efficient performance and a longer lifespan of the electrical system.

ELECTRICAL

Rated current	250.0 A
Number of poles	72.0
Number of phases input	3-phase
Nominal voltage	415.0 V
Short time withstand current Icw, 0.2 sec	25.0 kA
Short time withstand current Icw, 0.3 sec	20.0 kA
Short time withstand current Icw, 1 sec	10.0 kA

CONSTRUCTION

Assembly arrangement	18mm pitch
Material housing	Encapsulated material
Tee-off isolator	Yes
Capped tee-offs	0.5
Degree of protection (IP)	IP20

DIMENSIONS



Depth	82.0 mm
Height (pan)	680.0 mm

GB272183TF

NHP POWERMAX GB Isolation Busbar Chassis DINT 250A 72
Way 3Pole Top Feed



DIMENSIONAL DIAGRAM



GB212183TF_dDIM2-50

No. of Poles	A	B	C	R	S	D
12	140	-	-	-	-	110
24	248	100	-	-	100	218
36	356	200	-	-	200	326
48	464	400	-	-	400	434
60	572	500	-	-	500	542
72	680	600	300	300	600	650
84	788	700	300	300	700	758
96	896	800	400	400	800	866

GB272183TF

NHP POWERMAX GB Isolation Busbar Chassis DINT 250A 72 Way 3Pole Top Feed



POWERMAX
MCB CHASSIS

RELATED PRODUCTS

ACCESSORY



Item No: CELGBCK3D

Required: No

Description: NHP Concept Panelboard Accessory Chassis Connection Kit Direct GB 3Pole

Item No: DINTT100A

Required: No

Description: NHP DIN-T Accessory Through Terminal 100A 1Pole



Item No: GBTB3

Required: No

Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Toggle Bar 3P

Item No: GBTOC

Required: No

Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Tee Off Cap

