

EIAWE22KTSS0A04

Delta AC Max Smart EV Charger 7 to 22kW T2 Socket Type and Communications



Component type	EV charging device
Range	AC MAX
Model	N/A
Alternative	CALL FOR ALTERNATIVE

The Delta AC Max 22kW Charger is a market leader in function and appearance. Finished in a matt case and ideal for both indoor and outdoor, commercial or residential applications. Can be wired in single or three phase, mounted on a wall or as a floor standing option. Includes an in-built modem with Ethernet/Wi-Fi/SIM card slot connection, able to connect to all third party cloud-based platforms.

ELECTRICAL	Nominal connection power	22 kW
	Max. power per charging point	22 kW
COMMUNICATION	With load management	Yes
	With communication interface	Yes
	Function access control	Yes
CONSTRUCTION	Mounting method	Wall mounting
	IP rating	IP55
	Number of vehicle connectors Type 1	0
	Number of vehicle connectors Type 1 CCS	0
	Number of vehicle connectors Type 2	1
	Number of vehicle connectors Type 2 CCS	0
	Number of vehicle connectors CHAdeMO	0
	Emergency stop button	No
	Number of charging units	1
	With display	No
MECHANICAL	Impact strength	IK09
	Height	371 mm
DIMENSIONS	Depth	167 mm
	Width	218 mm
	Length of charging cable	0 m

EIAWE22KTSS0A04

Delta AC Max Smart EV Charger 7 to 22kW T2 Socket Type and Communications



AC CHARGERS



RELATED PRODUCTS

ACCESSORY



Item No: EVPE1320CPMAX

Required: No

Description: Delta AC MAX EV Charging Post



Item No: EVPPO0105

Required: No

Description: Delta Type 2 to Type 2 Cable 32A 3 Phase 5m