
1492H6

Allen-Bradley 1492 Screw Terminal Fuse 4mm No Indication

TERMINALS

Allen-Bradley




Component type	Fuse terminal block
Range	1492J/W
Model	N/A
Product status	Existing

The Allen-Bradley 1492-J and W ranges of screw connection terminal blocks are reliable, safe and straight forward electrical connections for wiring management. With cross-sectional wire sizes from 0.5mm2 to 120mm2 and terminal types such as feed-through, disconnect, fused, plug-in and thermocouple. Options include single or multi-level housing and accessories for various panel space requirements.

ELECTRICAL	Rated voltage	500 V
	Rated current In	15 A
CONSTRUCTION	Colour	Black
	Type of fuse holder	Screwable
	Mounting method	DIN rail (top hat rail) 35 mm
MECHANICAL	Connectable conductor cross section solid-core	4 mm²
	Connectable conductor cross section multi-wired	4 mm²
DIMENSIONS	Width	9.1 mm
	Height	81.3 mm
	Depth	47 mm

Published on 07 October 2026

DIMENSIONAL DIAGRAM



RELATED PRODUCTS

ACCESSORY



Item No: 1492DR5

Required: No

Description: Allen-Bradley 1492 DIN Rail 35 x 7.5mm Copper Free Aluminium 1m



Item No: 1492DR9

Required: No

Description: Allen-Bradley 1492 DIN Rail 35 x 15mm Zinc Plated Steel 1m

RELATED PRODUCTS

ACCESSORY

Item No: 1492N49
Required: No
Description: Allen-Bradley 1492-W Side Jumper for 1492WFB10V WFB10VA Non Insulated

Item No: 199DR4
Required: No
Description: Allen-Bradley 1492 DIN Mounting Rail Zinc Plated Chromated Steel 35 x 15mm 1m