ECOEXITBASE

Stanilite Single Point Economy Exit Lighting Base with LIFEPO4 Battery and Diffuser Not Included



Component type	Emergency luminaire
Range	Single Point Economy Exit Lighting
Model	N/A
Product status	Existing

The Stanilite single point economy exit lighting range features larger terminals for faster installation, efficient lithium power and universal surface mount application.

ELECTRICAL	Operating mode	Maintained
	Voltage type	AC
	Max. system power	4.5 W
	Viewing distance	24 m
	Nominal operation time	75000 h
CONSTRUCTION	With remote switch connection	No
	With remote control	No
	Mounting method	Wall surface mounted / ceiling surface mounting
	With pictogram	No
	With light source	Yes
	Material housing	ABS
	Colour housing	White
	IP rating	IP20
PHOTOMETRIC	Lamp type	LED not exchangeable
	Photometric classification (C0)	D5
	Photometric classification	D4
DIMENSIONS	Width	110 mm
	Height/depth	161 mm
	Length	380 mm
ENVIRONMENT	Rated ambient temperature according to IEC62722-2-1	0…40 °C
CERTIFICATES/APPROVALS	Compliant to AS/NZS CISPR 15	Yes
	Compliant to AS/NZS 2293.3:2018	Yes
	Compliant to AS/NZS 60598.1:2017	Yes
	Compliant to AS/NZS 60598.2.22:2005	Yes

Published on 08 May 2026

ECOEXITBASE

Stanilite Single Point Economy Exit Lighting Base with LIFEPO4 Battery and Diffuser Not Included

DIMENSIONAL DIAGRAM





Published on 08 May 2026

ECOEXITBASE

Stanilite Single Point Economy Exit Lighting Base with LIFEPO4 Battery and Diffuser Not Included

RELATED PRODUCTS

ACCESSORY

Item No: ECOEXITDIFCM

Required: No

Description: Stanilite Emergency Diffuser Pack Ceiling Mount Economy Exit with and Inserts

Item No: ECOEXITDIFWM

Required: No

Description: Stanilite Emergency Diffuser Pack Wall Mount Economy Exit with and Inserts

Published on 08 May 2026