# 100SE65KD04C

**Allen-Bradley 100SE Safety Contactor 37kW 3P 100-250V AC Coil 4NC Auxiliary**

CONTACTORS

NHP Allen-Bradley




| | |
|---|---|
| **Component type** | Power contactor, AC switching |
| **Range** | 100SE |
| **Model** | N/A |
| **Product status** | Existing |

The Allen-Bradley Bulletin 100S-E safety contactors provide mechanically linked positively guided or mirror contact performance, required in the feedback circuits of modern safety applications.

| | | |
|---|---|---|
| **ELECTRICAL** | Number of normally open contacts as main contact | 3 |
| | Number of normally closed contacts as main contact | 0 |
| | Rated operation current Ie at AC-3, 400 V | 65 A |
| | Rated operation power at AC-3, 400 V | 30 kW |
| | Rated operation current Ie at AC-1, 400 V | 105 A |
| | Max. rated operation voltage Ue AC | 690 V |
| | Voltage type for actuating | AC/DC |
| | Rated control supply voltage Us at AC 50HZ | 100-250 V |
| | Rated control supply voltage Us at DC | 100-250 V |
| | Number of auxiliary contacts as normally open contact | 0 |
| | Number of auxiliary contacts as normally closed contact | 4 |
| | Rated operation current Ie at AC-3, 690 V | 39 A |
| | Rated operation power at AC-3, 690 V | 37 kW |
| | Rated control supply voltage Us at AC 60HZ | 100-250 V |
| | Power consumption, AC coil pickup | 25 VA |
| | Power consumption, AC coil hold-in | 4 VA |
| | Power consumption, DC coil pickup | 25 W |
| | Power consumption, DC coil hold-in | 2 W |
| | Type of electrical connection of main circuit | Screw connection |
| **CONSTRUCTION** | IP rating | IP20 |
| | Mounting method | DIN-rail/screw |
| **DIMENSIONS** | Height | 125.5 mm |
| | Width | 55 mm |





Published on 06 November 2026

# 100SE65KD04C

**Allen-Bradley 100SE Safety Contactor 37kW 3P 100-250V AC Coil 4NC Auxiliary**

CONTACTORS

Allen-Bradley

| | | |
|---|---|---|
| **DIMENSIONS** | **Depth** | 144 mm |
| | **Weight** | 1 kg |





Published on 06 November 2026

# 100SE65KD04C

**Allen-Bradley 100SE Safety Contactor 37kW 3P 100-250V AC Coil 4NC Auxiliary**

CONTACTORS

## DIMENSIONAL DIAGRAM




Dimensions are shown in millimeters (inches).





Published on 06 November 2026