3861240VACDC

Finder 38 Series Relay Interface Modules Relay 6A 1 Changeover 240V AC DC Coil

GENERAL PURPOSE RELAYS



Component type	Switching relay
Range	Relay Interface Module
Model	N/A
Product status	Existing

The Finder 38 and 39 Series Interface Relays are designed for interface control systems with field devices, ideal for industrial automation applications. Maximising critical panel space with a replaceable relay to a base/socket and a size of 6.2mm. Options include multiple coil voltages, output current ratings up to 8A in 1 or 2 contact configurations and electromechanical or solid state versions.

ELECTRICAL

Nominal current	6 A
Nominal voltage AC	250 V
Max. rated operation voltage Ue AC	400 V
Number of contacts as change-over contact	1
Drive, switching attitude	Mono stable
Rated switching power at AC-1	1500 VA
Rated switching power at AC-15, 230V	300 VA
Breaking capacity at DC-1, 30V	6 A
Breaking capacity at DC-1, 110V	0.2 A
Voltage type for actuating	AC/DC
Control supply voltage Us at AC 50HZ	240 V
Rated control supply voltage Us at AC 50HZ	220240 V
Control supply voltage Us at DC	240 V
Rated control supply voltage Us at DC	220-240 V
Rated control supply voltage Us at AC 60HZ	220240 V
Control supply voltage Us at AC 60HZ	240 V
With LED indication	Yes
Type of electric connection	Spring clamp connection
Electrical life at Un, In (service cycles)	60000 cycles
Drive, polarization	Polarity free
Type of switch contact	Single contact
Material of contact insert	Thermoplastic

CONSTRUCTION

Material contact	Silver nickel
Complete with socket	Yes
Suitable for DIN rail mounting	Yes
IP rating	IP20

Published on 29 October 2026

3861240VACDC

Finder 38 Series Relay Interface Modules Relay 6A 1 Changeover 240V AC DC Coil

GENERAL PURPOSE RELAYS

MECHANICAL	**Mechanical life (service cycles)**	1.0E7 cycles
DIMENSIONS	**Width**	6.2 mm
	Height	93.6 mm
	Depth	72.5 mm

Published on 29 October 2026

3861240VACDC

Finder 38 Series Relay Interface Modules Relay 6A 1 Changeover 240V AC DC Coil

GENERAL PURPOSE RELAYS

DIMENSIONAL DIAGRAM



Published on 29 October 2026