


CLE2

Carlo Gavazzi Level Sensor Level Probe 2 Electrode No Isolation 2000mm



| | |
|-----------------------|---------------------|
| Component type | Conductivity sensor |
| Range | Level Sensor |
| Model | N/A |
| Product status | Existing |

The Carlo Gavazzi Level Sensors are designed to detect conductive and non-conductive liquids, granulates, grains and plastics in both on/off control or continuous monitoring functions. Ideal for applications requiring level control in wells, municipal water systems, protection of pumps, grain elevators, feed conveyors and vacuum delivery systems in the plastics industry.

| | | |
|---------------------|-----------------------------|--------------------------------|
| ELECTRICAL | Type of electric connection | Other |
| | Material process connection | Stainless steel 316 L (1.4435) |
| | Cell constant | 0.01 |
| CONSTRUCTION | Model | Conductive |
| | Material electrode | Stainless steel 316 L (1.4435) |
| | Degree of protection (IP) | IP68 |
| | Sensor type | Other |
| | Type of process connection | G 1/4 inch |
| MECHANICAL | Elbow plug | No |
| | Insert length | 2000 mm |
| | Max. pressure | 0 bar |
| DIMENSIONS | Cable length | 0 m |
| | Thread size | 38.1 mm |
| ENVIRONMENT | Max. temperature | 90 °C |
| | Max. ambient temperature | 90 °C |