
DTAAXAL

NHP DIN-T Accessory Auxiliary/Alarm 1 Changeover Contact suits DIN-T DTM and DTR

DIN-T™
MINIATURE CIRCUIT BREAKERS



Component type	Auxiliary contact block
Range	MCB/RCD General Accessories
Model	N/A
Product status	Existing

NHP MCB/RCDs offer a wide range of high-quality accessories that are specifically designed to suit the NHP range.

ELECTRICAL	Number of contacts as change-over contact	1
	Number of fault-signal switches	1
	Rated operation current Ie at AC-14, 240 V	2 A
	Rated operation current Ie at DC-12, 110 V	1.5 A
	Rated operation current Ie at DC-12, 220 V	1 A
	Rated operation current Ie at DC-13, 24 V	4 A
	Min. contact rating current	5 mA
	Min. contact rating voltage	24 V
	Type of electric connection	Screw connection
CONSTRUCTION	Mounting method	Side mounting


Published on 11 June 2026

DTAAXAL

NHP DIN-T Accessory Auxiliary/Alarm 1 Changeover Contact suits DIN-T DTM and DTR

DIN-T™
MINIATURE CIRCUIT BREAKERS

CIRCUIT DIAGRAM




Published on 11 June 2026

DTAAXAL

NHP DIN-T Accessory Auxiliary/Alarm 1 Changeover Contact suits DIN-T DTM and DTR

DIN-T™
MINIATURE CIRCUIT BREAKERS




Published on 11 June 2026


DTAAXAL


NHP DIN-T Accessory Auxiliary/Alarm 1 Changeover Contact suits DIN-T DTM and DTR

DIN-T™
MINIATURE CIRCUIT BREAKERS

DIMENSIONAL DIAGRAM







RELATED PRODUCTS

ACCESSORY



Item No: DTPF12

Required: No

Description: NHP DIN-T Accessory Pole Filler 12Pole Strip 216mm equals 24 x 9mm Segments

Item No: NC250TOPC

Required: No


Description: NHP POWERMAX DIN-T NC Chassis Accessory Tee-Off Plastic Cap 250A 18mm


Published on 11 June 2026


DTAAXAL

NHP DIN-T Accessory Auxiliary/Alarm 1 Changeover Contact suits DIN-T DTM and DTR

DIN-T™
MINIATURE CIRCUIT BREAKERS







Published on 11 June 2026