NCH461227183BF

NHP POWERMAX DIN-T NCH Busbar Chassis 400A Hybrid 6 Way 27mm 12 Way 18mm 3Pole Bottom Feed





Component type	Distributor assembly busbars
Range	DIN-T NC BC
Model	N/A
Product status	Existing

NHP's POWERMAX DIN-T NC Busbar Chassis are a highperformance, electrical distribution solution. Available in 250A or 400A and designed to provide a quick and easy method to connect DIN-T MCB's and RCBO's. Made of high-quality copper, providing superior conductivity, along with strong durable busbar supports providing high withstand ratings, ensuring a longer lifespan of the electrical system.

ELECTRICAL	Rated current	400 A
	Number of poles	18
	Number of poles, 18mm pitch	12
	Number of poles, 27mm pitch	6
	Number of phases input	3-phase
	Nominal voltage	415 V
	Short time withstand current Icw, 0.1 sec	30 kA
	Short time withstand current Icw, 0.3 sec	25 kA
	Short time withstand current lcw, 1 sec	13 kA
CONSTRUCTION	Assembly arrangement	Hybrid 18mm and 27mm pitch
	Material housing	Encapsulated material
	Tee-off isolator	No
	Capped tee-offs	0.5
	IP rating	IP20
DIMENSIONS	Depth	82 mm
	Height (pan)	215 mm