25AA011N114

Allen-Bradley PowerFlex 523 VSD 240V IP20 11A 2.2kW ND and HD Frame B

SMALL AND MID RANGE DRIVES



Component type	Frequency converter =< 1 kV
Range	PowerFlex 523
Model	N/A
Product status	Existing

Allen-Bradley Powerflex 523 AC Drives are a compact and cost-effective solution, ideal for standalone machines. Offering application-specific configurations and a wide range of motor control including V/Hz and sensorless vector control in an innovative, modular design supporting fast and easy installation and configuration up to 22kW.

ELECTRICAL	Number of phases input	1
	Nominal output power AC	2.2 kW
	Nominal output current I2N	11 A
	kW rating, normal duty	2.2 kW
	kW rating, heavy duty	2.2 kW
	Dynamic braking transistor	Yes
	Control characteristic	PID
	EMC-version	Yes
COMMUNICATION	Integrated motion function	No
CONSTRUCTION	Suitable for safety functions	No
	Contains keypad	Yes
	Frame size	B
	IP rating	IP20
ENVIRONMENT	Operating temperature	-20…50 °C

Published on 30 October 2026


25AA011N114

Allen-Bradley PowerFlex 523 VSD 240V IP20 11A 2.2kW ND and HD Frame B

SMALL AND MID RANGE DRIVES

DIMENSIONAL DIAGRAM

Dimensions are in millimeters and (inches)



Published on 30 October 2026

25AA011N114

Allen-Bradley PowerFlex 523 VSD 240V IP20 11A 2.2kW ND and HD Frame B

SMALL AND MID RANGE DRIVES

RELATED PRODUCTS

ACCESSORY



Item No: AKR2047P500

Required: No

Description: Allen-Bradley PowerFlex 70 VSD 47 Ohm Brake R