


CA9265EI11480W

S+S CA9 Contactor 132kW 3Pole 250 to 500VAC and VDC
Electronic Coil 1NO 1NC Contact Auxiliary



CONTACTORS

sprecher+schuh



Component type	Power contactor, AC switching
Range	CA9
Model	N/A
Product status	Existing

The Sprecher + Schuh CA9 contactors are designed with a smaller footprint and are ideal for harsh environments such as steel mills, rock quarries, mines or for large power applications where a sturdy, durable contactor is required. Combining the basic functionality of the CA7 series and the rugged performance demanded in this larger horsepower range, they are guaranteed to increase productivity.

ELECTRICAL

Number of normally open contacts as main contact	3
Number of normally closed contacts as main contact	0
Rated operation current I_e at AC-3, 400 V	265 A
Rated operation power at AC-3, 400 V	132 kW
Rated operation current I_e at AC-1, 400 V	400 A
Max. rated operation voltage U_e AC	1000 V
Voltage type for actuating	AC/DC
Rated control supply voltage U_s at AC 50HZ	250-500 V
Rated control supply voltage U_s at DC	250-500 V
Number of auxiliary contacts as normally open contact	1
Number of auxiliary contacts as normally closed contact	1
Rated operation current I_e at AC-3, 690 V	250 A
Rated operation power at AC-3, 690 V	200 kW
Rated operation current I_e at AC-3, 1000 V	113 A
Rated operation power at AC-3, 1000 V	160 kW
Rated operation power at AC-4, 400 V	110 kW
Rated control supply voltage U_s at AC 60HZ	250-500 V
Power consumption, AC coil pickup	420 VA
Power consumption, AC coil hold-in	21 VA
Power consumption, DC coil pickup	600 W
Power consumption, DC coil hold-in	4.7 W
Type of electrical connection of main circuit	Bolt connection
Rated operation current I_e at AC-4, 400 V	195 A
IP rating	IP00

CONSTRUCTION

CA9265EI11480W

S+S CA9 Contactor 132kW 3Pole 250 to 500VAC and VDC
Electronic Coil 1NO 1NC Contact Auxiliary



CONTACTORS


sprecher+schuh

CONSTRUCTION	Mounting method	Screw mounting
DIMENSIONS	Height	225 mm
	Width	140 mm
	Depth	195.5 mm
	Weight	4.64 kg

DIMENSIONAL DIAGRAM

Series CA9-265-EI...370-EI (Contactors/Reversing Contactors with PLC Interface)

Dimensions are in millimeters (inches). Dimensions not intended for manufacturing purposes.



RELATED PRODUCTS

ACCESSORY



Item No: CA9A265

Required: No

Description: S+S CA9 Main Contact Set for CA9265



Item No: CA9M500

Required: No

Description: S+S CA9 Mechanical Interlock

CA9265E11480W

S+S CA9 Contactor 132kW 3Pole 250 to 500VAC and VDC
Electronic Coil 1NO 1NC Contact Auxiliary




CONTACTORS

sprecher+schuh

RELATED PRODUCTS

ACCESSORY



Item No: CA9MR370

Required: No


Description: S+S CA9 Mounting Plate for 265 and 370A Reversing Contactor



Item No: CA9PW370

Required: No


Description: S+S CA9 Reversing Starter Power Connection Links for CA9 265 to 370A



Item No: CA9PWD265

Required: No

Description: S+S CA9 Star Delta Starter Power Connection Links CA9 265 to 370A



Item No: CA9PWD370

Required: No

Description: S+S CA9 Star Delta Starter Power Connection Links CA9 265 to 370A



Item No: CA9PWY370

Required: No

Description: S+S CA9 Star Point Shorting Link for CA9 265 to 370A



Item No: CA9TG909

Required: No

Description: S+S CA9 Coil for CA9 265 to 370 24 to 60VAC and VDC



Item No: CA9TG910

Required: No

Description: S+S CA9 Coil for CA9 265 to 370 48 to 130VAC and VDC



Item No: CA9TG911

Required: No

Description: S+S CA9 Coil for CA9 265 to 370 100 to 250VAC and VDC



Item No: CA9TG912

Required: No

Description: S+S CA9 Coil for CA9 265 to 370 250 to 500VAC and VDC



Item No: CA9TGE917

Required: No


Description: S+S CA9 Coil for CA9 265 100 to 250VAC and VDC Electronic



Item No: CA9TGE918

Required: No

Description: S+S CA9 Coil for CA9 265 250 to 500VAC and VDC Electronic



Item No: CA9TL370

Required: No

Description: S+S CA9 Terminal Lug for CA9 265 to 370A



Item No: CA9TS370C

Required: No


Description: S+S CA9 Terminal Shrouds for CA9 265 to 370A



Item No: CA9TS370L

Required: No

Description: S+S CA9 Terminal Shrouds for CA9 265 to 370A



Item No: CA9TX370

Required: No

Description: Sprecher + Schuh Terminal Extension For CA9-265/370 (Qty 1)