GB224183PNTF

NHP POWERMAX GB Isolation Busbar Chassis DIN-T 250A 24 Way 3Pole plus Neutral Top Feed RWBN

POWERMAX
MINIATURE CIRCUIT BREAKER CHASSIS

Component type	Distributor assembly busbars
Range	DIN-T GB
Model	N/A
Product status	Existing

NHP's POWERMAX DIN-T GB Busbar Chassis is a high-performance electrical distribution solution. This 250A chassis provides a quick and easy method to connect DIN-T MCB's and RCBO's. Made of high-quality copper, providing superior conductivity, along with durable busbar supports providing high withstand ratings ensuring efficient performance and a longer lifespan of the electrical system.

ELECTRICAL	**Rated current**	250 A
	Number of poles	24
	Number of poles, 18mm pitch	24
	Number of phases input	3P+N
	Nominal voltage	415 V
	Short time withstand current Icw, 0.2 sec	25 kA
	Short time withstand current Icw, 0.3 sec	20 kA
	Short time withstand current Icw, 1 sec	10 kA
CONSTRUCTION	**Assembly arrangement**	18mm pitch
	Material housing	Encapsulated material
	Suitable for devices with N-conductor	Yes
	Tee-off isolator	Yes
	Capped tee-offs	0.5
	IP rating	IP20
DIMENSIONS	**Depth**	82 mm
	Height (pan)	248 mm

GB224183PNTF

NHP POWERMAX GB Isolation Busbar Chassis DIN-T 250A 24 Way 3Pole plus Neutral Top Feed RWBN

NHP POWERMAX
MINIATURE CIRCUIT BREAKER CHASSIS

DIMENSIONAL DIAGRAM





GB224184U_dDIM2-S01

No. of Poles	A	B	C	R	S	D
24	248	100	-	-	100	218
48	464	400	-	-	400	434
72	680	600	300	300	600	650
96	896	800	400	400	800	866

Published on 24 June 2026

GB224183PNTF

NHP POWERMAX GB Isolation Busbar Chassis DIN-T 250A 24 Way 3Pole plus Neutral Top Feed RWBN

POWERMAX
MINIATURE CIRCUIT BREAKER CHASSIS



ESCUTCHEON CUTOUTS

GB CHASSIS SIZE	ESCUTCHEON CUTOUT
	DIM H
GB21218XX	110
GB22418XX	218
GB23618XX	326
GB24818XX	434
GB26018XX	542
GB27218XX	650
GB28418XX	758
GB29618XX	866

RELATED PRODUCTS

ACCESSORY

Item No: DTADM
Required: No
Description: NHP DIN-T Accessory 1 Pole Filler (MCB profile)

Item No: DTATM100
Required: No
Description: NHP DIN-T Accessory 1 Pole Through Terminal 100A (MCB profile)

GB224183PNTF

NHP POWERMAX GB Isolation Busbar Chassis DIN-T 250A 24 Way 3Pole plus Neutral Top Feed RWBN

POWERMAX
MINIATURE CIRCUIT BREAKER CHASSIS

RELATED PRODUCTS

ACCESSORY

Item No: DTPF12

Required: No

Description: NHP DIN-T Accessory Pole Filler 12Pole Strip 216mm equals 24 x 9mm Segments

Item No: GBBBC

Required: No

Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Busbar Cap

Item No: GBCK2004P

Required: No

Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Connection Kit

Item No: GBLM

Required: No

Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Padlock Attachment

Item No: GBLM2P

Required: No

Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Padlock Attachment 2P

Item No: GBTB1

Required: No

Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Toggle Bar 1P

Item No: GBTB2

Required: No

Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Toggle Bar 2P

Item No: GBTB3

Required: No

Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Toggle Bar 3P

Item No: GBTB4

Required: No

Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Toggle Bar 4Pole

Item No: GBTOC

Required: No

Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Tee Off Cap

Item No: LABLEG124D

Required: No

Description: NHP Panelboard Accessory Label Escutcheon Legend 1 to 24 suits DINT