
GB224183U

NHP POWERMAX GB Isolation Busbar Chassis DIN-T 250A 24 Way 3Pole Universal

POWERMAX
MINIATURE CIRCUIT BREAKER CHASSIS



Component type	Distributor assembly busbars
Range	DIN-T GB
Model	N/A
Product status	Existing

NHP's POWERMAX DIN-T GB Busbar Chassis is a high-performance electrical distribution solution. This 250A chassis provides a quick and easy method to connect DIN-T MCB's and RCBO's. Made of high-quality copper, providing superior conductivity, along with durable busbar supports providing high withstand ratings ensuring efficient performance and a longer lifespan of the electrical system.

ELECTRICAL	**Rated current**	250 A
	Number of poles	24
	Number of poles, 18mm pitch	24
	Number of phases input	3-phase
	Nominal voltage	415 V
	Short time withstand current Icw, 0.2 sec	25 kA
	Short time withstand current Icw, 0.3 sec	20 kA
	Short time withstand current Icw, 1 sec	10 kA
CONSTRUCTION	**Assembly arrangement**	18mm pitch
	Material housing	Encapsulated material
	Tee-off isolator	Yes
	Capped tee-offs	0.5
	IP rating	IP20
DIMENSIONS	**Depth**	82 mm
	Height (pan)	248 mm


Published on 25 June 2026


GB224183U

NHP POWERMAX GB Isolation Busbar Chassis DIN-T 250A 24 Way 3Pole Universal

POWERMAX
MINIATURE CIRCUIT BREAKER CHASSIS

DIMENSIONAL DIAGRAM





GB212183U_dDIM2-501


No. of Poles	A	B	C	R	S	D
12	140	-	-	-	-	110
24	248	100	-	-	100	218
36	356	200	-	-	200	326
48	464	400	-	-	400	434
60	572	500	-	-	500	542
72	680	600	300	300	600	650
84	788	700	300	300	700	758
96	896	800	400	400	800	866

Published on 25 June 2026

GB224183U

NHP POWERMAX GB Isolation Busbar Chassis DIN-T 250A 24 Way 3Pole Universal

POWERMAX
MINIATURE CIRCUIT BREAKER CHASSIS



ESCUTCHEON CUTOUTS

GB CHASSIS SIZE	ESCUTCHEON CUTOUT
	DIM H
GB21218XX	110
GB22418XX	218
GB23618XX	326
GB24818XX	434
GB26018XX	542
GB27218XX	650
GB28418XX	758
GB29618XX	866

RELATED PRODUCTS

ACCESSORY



Item No: CELGBCK3D
Required: No
Description: NHP Panelboard Accessory Chassis Connection Kit Direct GB 3Pole



Item No: DTADM
Required: No
Description: NHP DIN-T Accessory 1 Pole Filler (MCB profile)

Published on 25 June 2026

GB224183U

NHP POWERMAX GB Isolation Busbar Chassis DIN-T 250A 24 Way 3Pole Universal

POWERMAX
MINIATURE CIRCUIT BREAKER CHASSIS

RELATED PRODUCTS

ACCESSORY



Item No: DTATM100
Required: No
Description: NHP DIN-T Accessory 1 Pole Through Terminal 100A (MCB profile)



Item No: DTPF12
Required: No
Description: NHP DIN-T Accessory Pole Filler 12Pole Strip 216mm equals 24 x 9mm Segments



Item No: GBBBC
Required: No
Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Busbar Cap



Item No: GBLM
Required: No
Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Padlock Attachment



Item No: GBLM2P
Required: No
Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Padlock Attachment 2P



Item No: GBTB1
Required: No
Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Toggle Bar 1P



Item No: GBTB2
Required: No
Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Toggle Bar 2P



Item No: GBTB3
Required: No
Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Toggle Bar 3P



Item No: GBTOC
Required: No
Description: NHP POWERMAX GB Isolation Busbar Chassis Accessory Tee Off Cap



Item No: LABLEG124D
Required: No
Description: NHP Panelboard Accessory Label Escutcheon Legend 1 to 24 suits DINT

Published on 25 June 2026